FOOD CHECK THERMOMETER & PROBE

- Ideal for HACCP procedures
- FREE traceable certificate of calibration
- Temperature range -49.9 to 299.9 °C
- Compact & robust design

The Food Check is designed specifically for the food and catering professional who wishes to purchase an economically priced digital thermometer. The Food Check thermometer will measure temperature quickly and accurately when monitoring cooked and chilled foods as part of HACCP and health and safety procedures.

The thermometer is housed in a user-friendly ABS case that includes Biomaster Antimicrobial Technology which reduces bacterial growth. The Food Check features a large, easy-to-read, LCD display with open circuit and low battery indication. The instrument incorporates a simple-to-use on/off push-button and is powered by three AAA batteries that give a minimum of five years of battery life. The Food Check will power off automatically after ten minutes, maximising battery life.

Each Food Check is supplied with a permanently attached food penetration probe with a 130 mm stainless steel stem and 500 mm PVC lead. This is the ideal choice for routine food inspections.

OPTIONAL ACCESSORIES:

• Stainless steel wall bracket & white silicone boot (832-050)

TT

• Anti-bacterial wipes - see page 34





• Protective silicone boot

The Food Check is water-resistant to IP65 when used in conjunction with this boot. Protects from accidental damage. Various colours are available - see page 13.

Order code	Description	
221-018	Food Check - white	
221-028	Food Check - yellow	
221-038	Food Check - green	4098821
221-048	Food Check - red	4098822A
221-058	Food Check - blue	
830-221	Protective silicone boot - white	4098893A
832-050	S/steel wall bracket & boot	4098906A

Specification	Food Check	
Range	-49.9 to 299.9 °C	
Resolution	0.1 °C	
Accuracy	±0.4 °C (-49.9 to 149.9 °C) otherwise ±1 %	
Battery & life	3 x 1.5 volt AAA - 10000 hours	
Sensor type	K thermocouple	
Display	12 mm LCD	
Dimensions	25 x 56 x 128 mm	
Weight	160 grams	
FREE traceable certificate of calibration included		

AUTO OFF

